


CUSHIONED BALL MOUNTS

The Original
CONVERT-A-BALL®
 Interchangeable Hitch System Products

For Quality and Safety choose the original Convert-a-Ball® Hitch System

The CUSHIONED BALL MOUNT

Acts as a shock absorber • Protects the towing vehicle's driveline, hitch assembly and trailer contents
 • Easy to install • Proven effective in reducing bounce and rhythmic vibrations •
 For use with underframe receiver hitch with a 2' square socket • Class 4, V-5
SAFE!



AM-S-C SERIES

AM-SC-2

AM-SC-4

AM-SC-6

AM-SC-8

Note: The number in the order number indicates the drop length. Available in 10" and 12" drops (not shown). May be used as a drop or rise. Shanks are 2"x2" tube with 1/4" wall thickness. Shank hole is 1" dia. Hitch pin hole receives a standard hitch pin (not included). Maximum trailer weight of 10,000 lb. Maximum tongue weight of 2,000 lbs. Rated Class 4. Rated V-5. Meets SE Standard J-684.
 * ALSO AVAILABLE IN 2-1/2" BALL MOUNT. AM-SC-V2

14000 LB PLUS RATED


Shank is 2"x2" with 1/4" wall thickness. Shank hole diameter is 1-1/4". Hitch pin hole receives a standard hitch pin (not included). Maximum trailer weight of 14000 lbs. Maximum tongue weight of 2000 lbs. Rated class 4. Rated V-5. Meets the SAE standard J-684. for use with open end receivers. Laminated ball mount- strongest in the industry!



AMSC2HD

CUSHIONED 6-WAY MULTI-HITCH

Introducing the All New CUSHIONED Multi-Hitch. It is a cushioned, 6-way, rotatable hitch. Receives pintle ring, spade, clevis and all three ball sizes. Ship wt. 18 lb. Maximum trailer wt. 10000 lbs. Maximum tongue wt. 2000 lbs. Small balls are rated less.




6W

CUSHIONED ROLL-A-HITCH

Telescoping CUSHIONED hitch extends 7" beyond towing position and swivels 12° left and right for fast, easy hookups anywhere. Just pull forward to lock in center and then back up to lock in towing position. 1000 lb. tongue wt. 10,000 lb. load rated per SAE J684 V5. Pins included. Ship wt. 35 lb.



LD2.....2" drop
 LD4.....4" drop
 LD6.....6" drop



U.S. Patent #5,380,030, U.S. #4,951,957, U.S. #4,817,978, and U.S. #4,746,138 **MADE IN THE USA**

convert-a-ball.com • ctpdistributorsinc.com

Grande Prairie 1-800-803-7785

Edmonton 1-888-422-9329

Calgary 1-877-237-7660

Port Kells, Surrey 1-800-663-5356

ACCESSORIES

CUSHIONED

5TH WHEEL TO GOOSENECK ADAPTORS

The Original
CONVERT-A-BALL®
 Interchangeable Hitch System Products

CUSHIONED NEW ALL CAST BODY

20,000 lb. rated Cushioned 360°

- Safety chains standard
 - Fail safe king pin adapter
 - Locks with padlock
 - Available in 12" and 16" sizes with welded bodies
- U.S. Patent #6,808,195
 U.S. Patent #5,868,415



CUSHIONED GOOSENECK


- 30,000 lb. rated
- 4" round pipe
 - Same cushioning system as C5G (see cutaway)



NON-CUSHIONED 7 1/2" OFFSET



WHICH SIZE DO I ORDER?



To find correct size of C5G:

Top of ball socket to top of C5G determines the height. Back under trailer, measure from top of ball to base of pin box. (There is some adjustment to pin box.)

NON-CUSHIONED GOOSENECK WITH 7 1/2" OFFSET



Help Line:
1-800-543-1732

C5G & 5GX Available in 12", 14" & 16"
 Towing capacity 20,000 lb GVW
 Tongue weight 2,000
 Movement 1/2 to 3/4" max
 Cushioned up and down and 360°
 Shipping weight 58 lbs.

ACCESSORIES


Step Gate®

The Original
CONVERT-A-BALL®
 Interchangeable Hitch System Products
 1-800-543-1732 • FAX 308-254-7194
 www.convert-a-ball.net

For Quality and Safety choose the original Convert-a-Ball® Hitch System

Introducing the Step Gate®

THE STEP GATE® is a unique solution to the problem of getting in and out of your pick-up truck bed to load or unload cargo. • Feel secure using the handle to stabilize yourself as you step up or down - no more fear of falling or injuring your back or knees. • Priced to fit your budget.

STEP GATE®		
	Order #	Description
	SG	STEP GATE® The Universal Tailgate Mounted Step - The Step Gate® is the safe and easy way to get in and out of the bed of your pick-up truck. The design of the mounting brackets allow for installation on a wide variety of tailgates on any make or model of pick-up truck. The uniquely designed handle offers the security and stability allowing one to safely enter and exit your truck bed. Does not interfere with towing and can be used in trucks with bed liners and tool boxes. The Step Gate® is reversible and can be mounted on either side of the tailgate.

FEATURES OF THE STEP GATE®

- Stores out of the way when mounted to the tailgate making loss of truck bed space minimal.
- Step and handle remove easily and in seconds when the entire bed of the truck is needed. Brackets stay mounted to the tailgate.
- Very easy to self-install with included drill bit, sheet metal screws and wrench.
- Very versatile - can be used to help secure long items such as lumber or pipe or bulky items like propane or water bottles.
- Extremely sturdy - made of 1" square steel tubing with a black powder coat finish, it has been tested by a 400-pound individual without failing.
- The position of the handle allows one to step down either backwards or forwards.

The Original
CONVERT-A-BALL®
 Interchangeable Hitch System Products

Balls and Shanks

FEATURES OF THE BALLS AND SHANKS

- Convert-A-Ball has the answer to trailer connections. No more tools, no more busted knuckles.
- 3 interchangeable chromed steel or stainless steel balls (1-7/8", 2 & 2-5/16") fit on the 1" shank. 2-5/16" ball will not work on the 3/4" shank.
- Exceeds the national standard SAE-J684 for ball hitches. V-5 rated safe!



CHROME BALLS AND SHANKS

Part Number	Product Description
105TB	1" Extra Long Shank
700B	SET, 3/4" Regular Shank, 1-7/8" & 2" Balls
900B	SET, 1" Regular Shank, 1-7/8", 2" & 2-5/16" Balls



STAINLESS STEEL BALLS AND SHANKS

Part Number	Product Description
107TB	1" Extra Long Shank
802B	SET, 3/4" Regular Shank, 1-7/8" & 2" Balls
902B	SET, 1" Regular Shank, 1-7/8", 2" & 2-5/16" Balls

convert-a-ball.com • ctpdistributorsinc.com

Grande Prairie 1-800-803-7785

Edmonton 1-888-422-9329

Calgary 1-877-237-7660

Port Kells, Surrey 1-800-663-5356

ACCESSORIES