

# HYPERTECH

The World Leader In High-Performance Engine Tuning Products



**50 State Street Legal**  
CARB E.O. or pending

# Max Energy

POWER PROGRAMMER

Max Energy Tuning extracts every bit of energy possible out of every molecule of fuel giving you more miles at part-throttle and more power at wide-open throttle. In order to increase engine efficiency, horsepower and torque, our engineers optimize the spark and fuel curves point by point over the entire rpm band. With the additional power, drivers use less fuel to accelerate and maintain cruising speeds without the torque converter un-locking and transmission down-shifting to a lower gear. The results are maximum power and fuel mileage\*, plus many other adjustable features so you can customize your vehicle exactly the way you want in just minutes.

### Other Adjustable Features Include\*\*:

Remove 0-60 MPH Throttle Restriction • Adjust or Disable Active Fuel Management System  
Adjust Automatic Transmission Shift Points/Firmness • Adjust Top-Speed/Rev Limiter  
Correct Speedometer Readings for Non-Stock Tire Sizes and/or Rear Gear Ratios  
Read & Clear DTCs • Adjust Cooling Fan Temperatures • Quick Internet Updates

### The Most Powerful Tuning for Diesels that Tow

Hypertech gives diesel owners exclusive 3-Stage Power Tuning with gains of up to 176 horsepower and 289 ft.-lbs. of torque... Plus improved fuel economy!\*\* And only Hypertech's tuning can be used at the maximum power setting, when towing up to the maximum weight rating specified by the vehicle manufacturer. We develop all of our Power Tuning under real-world conditions of maximum load and steep grades, but with safe exhaust gas temperatures.

### Easy Plug-Push-Play Installation!



Plug the small connector on the communications cable into the Max Energy and then plug the other end into the vehicle's diagnostic connector, located on the driver's side under the dash.

Follow the on-screen prompts and answer a few simple "Yes/No" questions to select the tuning options and other features you want.

When the programming session is complete, the Max Energy screen will instruct you to disconnect the cable. You are now ready to enjoy the power and performance of the Max Energy Power Programmer.

\* As reported by Hypertech users.

\*\* Adjustable features depend on year, make, and model of vehicle.

Part #	Application
<b>GM</b>	
<b>32501</b>	2012-2010 Camaro SS 6.2 LS3/L99 2012-2011 Avalanche/Escalade/Sierra/Silverado/Suburban/Tahoe/Yukon 4.8/5.3/6.2 2011-2010 Camaro 3.6 2011-2006 Sierra/Silverado 6.6 Duramax 2010-2007 Denali/Escalade/H2/Sierra/Silverado/Tahoe/Yukon 6.2 2010 Avalanche/Sierra/Silverado/Suburban/Tahoe/Yukon 4.8/5.3 2009-2007 Sierra/Silverado 2500/3500/Suburban/Yukon XL 3/4 Ton 6.0 LY6 Auto 2009-2007 Avalanche/Tahoe (new body style) 4.8/5.3/6.0 2009-2007 Sierra/Silverado/Suburban/Yukon 1500 (new body style) 4.8/5.3/6.0 2009-2007 Express/Savanna 2500/3500 Van 6.6 Duramax 2009-2006 Corvette 7.0 LS7 2008-2006 Trailblazer SS 6.0 LS2 2007-2006 Corvette 6.0 LS2 2006-2005 SSR 6.0 LS2
<b>32500</b>	2007 H2/Sierra/Silverado (classic body style) 4.3/4.8/5.3/6.0/8.1 2007-2005 Sierra/Silverado 5.3 HO 2006-2004 Escalade/EXT/ESV/Silverado SS/Sierra/Yukon 6.0 HO 2006-2002 Avalanche/H2/Sierra/Silverado/Suburban/Blazer/Jimmy/S10/Sonoma/Tahoe/Yukon (classic body style) V6/V8 2005-2001 Sierra/Silverado/Suburban/Blazer/Jimmy/S10/Sonoma 4.3 2005-2001 Monte Carlo/Regal/Impala 3.8/3.8 S/C 2004-1997 Corvette 5.7 LS1/5.7 LS6 2004 SSR 5.3 2003-2002 Escalade/Escalade EXT/Silverado SS/Sierra/Yukon 6.0 HO 2002-2000 Camaro/Firebird 3.8 2002-1998 Camaro/Firebird 5.7 LS1 2001-1999 Sierra/Silverado/Suburban/Tahoe/Yukon 4.8/5.3/6.0 2001 Sierra/Silverado/Suburban 8.1 2001 Sierra/Silverado/Blazer/Jimmy/S10/Sonoma 4.3 2000 Sierra/Silverado/Suburban/Blazer/Jimmy/S10/Sonoma/Tahoe/Yukon V6/V8 1999-1996 Sierra/Silverado/Suburban/Blazer/Jimmy/S10/Sonoma/Tahoe/Yukon 4.3/5.0/5.7/7.4

Part #	Application
<b>Ford/Lincoln/Mercury</b>	
<b>42501</b>	2012-2011 Mustang 3.7/5.0 2011 Crown Victoria/Town Car/Grand Marquis 4.6 2-Valve 2012-2011 F150/F250/F350 6.2 2011 F150 5.0 2011 Expedition/Navigator 5.4 3-Valve 2010-2008 F250-F550 6.4 Power Stroke 2010-2007 Explorer Sport/Trac 4.6 3-Valve 2010-2007 F150 5.4 3-Valve 2010-2007 Expedition 5.4 3-Valve 2010-2006 Explorer/Mountaineer 4.6 3-Valve 2010-2005 F250-F550/E250-E450 Van 6.8 2010-2005 Crown Victoria/Town Car/Grand Marquis 4.6 2-Valve 2010-2005 Mustang GT 4.6 3-Valve 2010-2005 Mustang 4.0 2010-2005 F250/F350 5.4 3-Valve (New body style) 2010-2005 Navigator 5.4 3-Valve 2010-2004 F150 4.6 2-Valve/3-Valve 2009-2008 Sable/Taurus 3.5 4-Valve 2009-2008 Focus 2.0 2009-2007 Edge/MKX/MKZ 3.5 4-Valve 2009-2006 Fusion/Milan 3.0 4-Valve 2009 Flex 3.5 4-Valve 2008-2006 Mark LT 5.4 3-Valve 2008-2005 F150 4.2 2008 E-Series Van 6.0 Power Stroke 2007-2006 F250-F550/E-Series Van 6.0 Power Stroke 2006-2005 Expedition 5.4 3-Valve (New body style) 2006-2004 F150 5.4 3-Valve (New body style)
<b>42500</b>	2006 Zephyr 3.0 4-Valve 2005-1999 F150-F550/Expedition/Excursion 4.6/5.4/6.8 (Not available for 99 6.8 in CA) 2004-2003 Cobra 4.6 S/C 2004-2003 Marauder 4.6 4-Valve 2004-1999 F150 Lightning/Harley Davidson 5.4 S/C 2004-1997 E-Series Van 5.4 2004-1996 Mustang GT 4.6 2003-2002 E550 Van 7.3 Power Stroke 2003-1999 F250-F550/E-Series Van/Excursion 7.3 Power Stroke 2001-1999 Cobra 4.6 1999-1996 Crown Victoria/Town Car/Grand Marquis 4.6 1998-1996 Mustang 3.8 1998 F-Series/Explorer 4.2/5.0 1998 Ranger 4.0 1998 F150/Expedition 4.6/5.4 1997-1996 F250-F450/E-Series Van 7.3 Power Stroke 1997-1996 Thunderbird 4.6 1997-1996 Taurus SHO 3.8 1997 F-Series/Expedition 4.2/4.6/5.4 1997 Explorer 5.0 1996 F-Series/Explorer/Ranger/Bronco 4.0/4.9/5.0/5.8
<b>42002</b>	2005-2003 Excursion 6.0 Power Stroke 2005-2003 F250-F550/E-Series Van 6.0 Power Stroke

Part #	Application
<b>Chrysler/Dodge/Jeep</b>	
<b>52503</b>	2009-2007 Ram 2500-5500 6.7 Cummins 2007 Ram 2500/3500 5.9 Cummins 2006 Ram 2500/3500 5.9 Cummins
<b>52502</b>	2005 Ram 2500/3500 5.9 Cummins 2004 Ram 2500/3500 5.9 Cummins 2003 Ram 2500/3500 5.9 Cummins
<b>52501</b>	2010-2009 Challenger 5.7 Hemi 2010-2007 Avenger/Challenger/Charger/Magnum/Sebring/Journey/300 3.5 2010-2007 Avenger/Charger/Magnum/Sebring/300 2.7 2010-2007 Wrangler 3.8 2010-2007 Cherokee/Commander/Dakota/Durango/Liberty/Nitro/Ram 3.7 2010-2006 Grand Cherokee SRT8 6.1 Hemi 2010-2006 Commander 5.7 Hemi 2010-2005 Challenger/Charger/Magnum/300 SRT8 6.1 Hemi 2010-2005 Charger RT/Magnum RT/300C 5.7 Hemi 2010-2005 Aspen/Cherokee/Commander/Dakota/Durango/Ram 4.7 2010-2005 Grand Cherokee 5.7 Hemi 2010-2003 Ram 1500/2500/3500 5.7 Hemi 2009-2008 Grand Caravan/Town & Country 3.8 2009-2007 Aspen 5.7 Hemi 2009-2005 Durango 5.7 Hemi 2008-2007 Pacifica 3.8 2006-2005 Wrangler 4.0
<b>52500</b>	2004-1996 Wrangler/Grand Cherokee 4.0 2003-2002 Ram/Dakota/Durango 5.9 2002-1998.5 Ram 2500/3500 5.9 Cummins 2001-1997 Ram/Dakota/Durango/1998 Grand Cherokee 5.2/5.9 2001-1996 Cherokee 4.0

Part #	Application
<b>Infiniti/Nissan</b>	
<b>62001</b>	2012-2004 Armada/Titan/QX56 5.6 2011-2005 Frontier/Pathfinder/Xterra 4.0/5.6

Part #	Application
<b>Mitsubishi</b>	
<b>52501</b>	2009-2007 Raider 3.7 2007-2006 Raider 4.7

Part #	Application
<b>SAAB</b>	
<b>32501</b>	2008 9-7X Aero 6.0 LS2

ACCESSORIES

hypertech.com • ctpdistributorsinc.com

Grande Prairie 1-800-803-7785

Edmonton 1-888-422-9329

Calgary 1-877-237-7660

Port Kells, Surrey 1-800-663-5356

Max Energy  
**E-CON™**  
ECONOMY POWER PROGRAMMER

## Use Less Fuel And Get More Power With The E-CON™ Economy Power Programmer

The E-CON Economy Power Programmer is designed for the driver who needs better fuel mileage and more power, but doesn't want to pay for other high-performance features they may not need. Every E-CON is programmed with Hypertech's Max Energy™ Tuning...**The best optimized fuel tuning programs possible that increases horsepower and torque.**

Hypertech's Max Energy Tuning extracts every bit of energy possible out of every molecule of fuel giving you more miles-per-gallon at part-throttle and more power at wide open throttle. With the additional power, drivers use less fuel to maintain cruising speed, without the torque converter un-locking and transmission down-shifting to a lower gear, providing a substantial increase in fuel mileage. **Hypertech users are reporting an average of 2-4 mpg gains.**

How Much Will You Save Per Gallon? <small>Savings calculated at \$4.00 per gallon.</small>						
Stock mpg	+1 mpg	+2 mpg	+3 mpg	+4 mpg	+5 mpg	+6 mpg
12	31¢	57¢	80¢	\$1.00	\$1.18	\$1.33
14	27¢	50¢	71¢	89¢	\$1.05	\$1.20
16	24¢	44¢	63¢	80¢	95¢	\$1.09
18	21¢	40¢	57¢	73¢	87¢	\$1.00
20	19¢	36¢	52¢	67¢	80¢	92¢
22	17¢	33¢	48¢	62¢	74¢	86¢

NOTE: Actual savings may vary slightly from those shown.

In addition, the E-CON Economy Power Programmer has the ability to read and clear DTCs. The E-CON also comes with a USB cable and a CD containing software to enable quick updates over the internet.

## Easy Plug-Push-Go Installation

Simply plug the E-CON Economy Power Programmer into the vehicle's under-dash connector, choose your tuning program...Regular octane tuning for gas vehicles and fuel tuning programs A or B for diesels that appear on the screen, then with the push of a button re-program your vehicle's computer with improved power and efficiency.

### The Max Energy E-CON can also be upgraded for these features:\*

- Remove 0-60 MPH Throttle Restriction • Adjust or Disable Active Fuel Management System
- Adjust Automatic Transmission Shift Points/Firmness • Adjust Top-Speed/Rev Limiter
- Correct Speedometer Readings for Non-Stock Tire Sizes and/or Rear Gear Ratios
- Read & Clear DTCs • Adjust Cooling Fan Temperatures • Quick Internet Updates

\* Upgrade for an additional charge. Adjustable features depend on year, make, and model of vehicle.



Part #	Application
<b>GM</b>	
33501	2012-2011 Avalanche/Sierra/Silverado/Suburban/Tahoe/Yukon 4.8/5.3 2011 Avalanche/Eschade/Sierra/Silverado/Suburban/Tahoe/Yukon 4.8/5.3/6.2 2011-2006 Sierra/Silverado 6.6 Duramax 2010-2007 Denali/Eschade/H2/Sierra/Silverado/Tahoe/Yukon 6.2 2009-2007 Sierra/Silverado 2500/3500/Suburban/Yukon XL 3/4 Ton 6.0 LY6 Auto 2009-2007 Avalanche/Tahoe (new body style) 4.8/5.3/6.0 2009-2007 Sierra/Silverado/Suburban/Yukon 1500 (new body style) 4.8/5.3/6.0 2009-2007 Express/Savanna 2500/3500 Van 6.6 Duramax
33500	2007-2005 Sierra/Silverado 5.3 HO 2007 H2/Sierra/Silverado (classic body style) 4.3/4.8/5.3/6.0/8.1 2006-2004 Escalade/EXT/ESV/Silverado SS/Sierra/Yukon 6.0 HO 2006-2002 Avalanche/H2/Sierra/Silverado/Suburban/Blazer/Jimmy/S10/Sonoma/Tahoe/Yukon (classic body style) V6/V8 2005-2001 Sierra/Silverado 6.6 Duramax 2005-2001 Monte Carlo/Regal/Impala 3.8/3.8 S/C 2004 SSR 5.3 2003-2002 Escalade/Eschade EXT/Silverado SS/Sierra/Yukon 6.0 HO 2002-2000 Camaro/Firebird 3.8 2001-1999 Sierra/Silverado/Suburban/Tahoe/Yukon 4.8/5.3/6.0 2001 Sierra/Silverado/Suburban 8.1 2001 Sierra/Silverado/Blazer/Jimmy/S10/Sonoma 4.3 2000 Sierra/Silverado/Suburban/Blazer/Jimmy/S10/Sonoma/Tahoe/Yukon V6/V8

Part #	Application
<b>Ford/Lincoln/Mercury</b>	
43501	2012-2011 Mustang 3.7/5.0 2011 Crown Victoria/Town Car/Grand Marquis 4.6 2-Valve 2012-2011 F150/F250/F350 6.2 2011 F150 5.0 2011 Expedition/Navigator 5.4 3-Valve 2010-2008 F250-F550 6.4 Power Stroke 2010-2007 Explorer SportTrac 4.6 3-Valve 2010-2007 F150 5.4 3-Valve 2010-2007 Expedition 5.4 3-Valve 2010-2006 Explorer/Mountaineer 4.6 3-Valve 2010-2005 F250-F550/E250-E450 Van 6.8 2010-2005 Crown Victoria/Town Car/Grand Marquis 4.6 2-Valve 2010-2005 Mustang GT 4.6 3-Valve 2010-2005 Mustang 4.0 2010-2005 F250/F350 5.4 3-Valve (New body style) 2010-2005 Navigator 5.4 3-Valve 2010-2004 F150 4.6 2-Valve/3-Valve 2009-2008 Sable/Taurus 3.5 4-Valve 2009-2008 Focus 2.0 2009-2007 Edge/MKX/MKZ 3.5 4-Valve 2009-2006 Fusion/Milan 3.0 4-Valve 2009 Flex 3.5 4-Valve 2008-2006 Mark LT 5.4 3-Valve 2008-2005 F150 4.2 2008 E-Series Van 6.0 Power Stroke 2006 Zephyr 3.0 4-Valve 2007-2006 F250-F550/E-Series Van 6.0 Power Stroke 2006-2005 Expedition 5.4 3-Valve (New body style) 2006-2004 F150 5.4 3-Valve (New body style)
43500	2005-1999 F250/F350 Heritage/Excursion 5.4 2005-1999 F250-F550/Excursion 6.8 (Not available for 99 6.8 in CA) 2004-1999 F150 Heritage/Expedition 5.4 2004-1999 F150 Heritage 4.6 2004-1999 E-Series Van 5.4 2003-2002 E550 Van 7.3 Power Stroke 2003-1999 F250-F550/E-Series Van/Excursion 7.3 Power Stroke 2002-1999 Expedition 4.6 1997-1996 F250-F450/E-Series Van 7.3 Power Stroke
43002	2005-2003 F250-F550/E-Series Van 6.0 Power Stroke

Part #	Application
<b>Chrysler/Dodge/Jeep</b>	
53503	2009-2007 Ram 2500-5500 6.7 Cummins 2007 Ram 2500/3500 5.9 Cummins 2006 Ram 2500/3500 5.9 Cummins
53502	2005 Ram 2500/3500 5.9 Cummins 2004 Ram 2500/3500 5.9 Cummins 2003 Ram 2500/3500 5.9 Cummins
53501	2010-2009 Challenger 5.7 Hemi 2010-2007 Avenger/Challenger/Charger/Magnum/Sebring/Journey/300 3.5 2010-2007 Avenger/Charger/Magnum/Sebring/300 2.7 2010-2007 Wrangler 3.8 2010-2007 Cherokee/Commander/Dakota/Durango/Liberty/Nitro/Ram 3.7 2010-2006 Commander 5.7 Hemi 2010-2005 Charger RT/Magnum RT/300C 5.7 Hemi 2010-2005 Aspen/Cherokee/Commander/Dakota/Durango/Ram 4.7 2010-2005 Grand Cherokee 5.7 Hemi 2010-2003 Ram 1500/2500/3500 5.7 Hemi 2009-2008 Grand Caravan/Town & Country 3.8 2009-2007 Aspen 5.7 Hemi 2009-2005 Durango 5.7 Hemi 2008-2007 Pacifica 3.8 2006-2005 Wrangler 4.0
53500	2004-1996 Wrangler/Grand Cherokee 4.0 2003-2002 Ram/Dakota/Durango 5.9 2002-1998 5.9 Ram 2500/3500 5.9 Cummins 2001-1997 Ram/Dakota/Durango/1998 Grand Cherokee 5.2/5.9 2001-1996 Cherokee 4.0

Part #	Application
<b>Infiniti/Nissan</b>	
63001	2012-2004 Armada/Titan/QX56 5.6 2011-2005 Frontier/Pathfinder/Xterra 4.0/5.6
<b>Mitsubishi</b>	
53501	2009-2007 Raider 3.7 2007-2006 Raider 4.7



## Speedometer Calibrator

If you're running non-stock tire sizes and/or rear gear ratios, Hypertech's Speedometer Calibrator can correct the speedometer and odometer for tires up to 54 inches (depending on application). The Speedometer Calibrator is engineered for the consumer that wants the speedometer recalibration functions of the Max Energy™ Power Programmer, but without the additional expense of the other tuning features. The Speedometer Calibrator also comes with a USB cable and a CD containing software for quick updates and upgrades over the internet.

Simply plug the Speedometer Calibrator into the vehicle's under-dash connector, select the tire height and/or new rear gear ratio, and the vehicle's computer is reprogrammed for accurate speedometer and odometer readings (as required by law). In addition, Hypertech's Speedometer Calibrator reads and clears DTCs.

### In-Line Speedometer Calibrator Module

The in-line Speedometer Calibrator Module is engineered for the consumer that wants an easy plug-and-play module to correct the speedometer and odometer for all tires sizes and/or rear gear ratios. The in-line Speedometer Calibrator Module comes with a USB cable and a CD containing software to enable accurate tire and gear recalibrations and quick updates over the internet.



Part #	Application (In-Line Speedometer Calibrator Module)
<b>Ford/Lincoln</b>	
730112	2008 F250-F550 2008-2007 Expedition/Navigator
730111	2007-2005 F250-F550
730110	2008-2004 F150
<b>GM</b>	
730102	2012-2007 Truck/SUV (New body style)
<b>Nissan</b>	
730106	2008-2005 Frontier/Pathfinder/Xterra
730105	2010-2008 Armada/Titan
730104	2007-2005 Armada 2007-2004 Titan
<b>Toyota</b>	
730114	2008-2006 RAV4
730113	2008 Highlander/Highlander Hybrid
730108	2010-2007 FJ Cruiser
730107	2011-2005 Tacoma
730103	2011-2007 Tundra 2010-2009 Sequoia

Part #	Application (Speedometer Calibrator)
<b>GM</b>	
732501	2012-2010 Camaro SS 6.2 LS3/L99 2012-2011 Avalanche/Escalade/Sierra/Silverado/Suburban/Tahoe/Yukon 4.8/5.3/6.2 2011-2010 Camaro 3.6 2011-2006 Sierra/Silverado 6.6 Duramax 2010-2007 Denali/Escalade/H2/Sierra/Silverado/Tahoe/Yukon 6.2 2010 Sierra/Silverado/Suburban/Tahoe/Yukon 6.0 2010 Avalanche/Sierra/Silverado/Suburban/Tahoe/Yukon 4.8/5.3 2009-2007 Express/Savanna 2500/3500 Van 6.6 Duramax 2009-2006 Corvette 7.0 LS7 2009 Avalanche/Sierra/Silverado/Suburban/Tahoe/Yukon/Express/Savanna Van 4.8/5.3/6.0 2008-2007 Sierra/Silverado 2500/3500/Suburban/Yukon XL 3/4 Ton 6.0 LY6 Auto 2008-2007 Avalanche/Tahoe (new body style) 4.8/5.3/6.0 2008-2007 Sierra/Silverado/Suburban/Tahoe/Yukon 1500 (new body style) 4.8/5.3/6.0 2008-2006 Trailblazer SS 6.0 LS2 2007-2006 Corvette 6.0 LS2 2006-2005 SSR 6.0 LS2
732500	2007-2005 Sierra/Silverado (classic body style) 5.3 HO 2007 H2/Sierra/Silverado (classic body style) 4.3/4.8/5.3/6.0/8.1 2006-2004 Escalade/EXT/ESV/Sierra/Silverado SS/Yukon 6.0 HO 2006-2002 Avalanche/H2/Sierra/Silverado/Suburban/Blazer/Jimmy/S10/Sonoma/Tahoe/Yukon (classic body style) V6/V8 2005-2001 Sierra/Silverado 6.6 Duramax 2005-2001 Monte Carlo/Regal/Impala 3.8/3.8 S/C 2004-2001 Corvette 5.7 LS6 2004-1997 Corvette 5.7 LS1 2004 SSR 5.3 2003-2002 Escalade/Escalade EXT/Silverado SS/Sierra/Yukon 6.0 HO 2002-2000 Camaro/Firebird 3.8 2002-1998 Camaro/Firebird 5.7 LS1 2001-1999 Sierra/Silverado/Suburban/Tahoe/Yukon 4.8/5.3/6.0 2001 Sierra/Silverado/Suburban 8.1 2001 Sierra/Silverado/Blazer/Jimmy/S10/Sonoma 4.3 2000 Sierra/Silverado/Suburban/Blazer/Jimmy/S10/Sonoma/Tahoe/Yukon V6/V8 1999-1996 Sierra/Silverado/Suburban/Blazer/Jimmy/S10/Sonoma/Tahoe/Yukon 4.3/5.0/5.7/7.4

Part #	Application (Speedometer Calibrator)
<b>Ford/Lincoln/Mercury</b>	
742501	2012-2011 Mustang 3.7/5.0 (Coming Soon) 2011 Crown Victoria/Town Car/Grand Marquis 4.6 2-Valve 2011 F150 3.7/5.0/6.2 2011 Expedition/Navigator 5.4 3-Valve 2010-2008 F250-F550 6.4 Power Stroke 2010-2007 Explorer SportTrac 4.6 3-Valve 2010-2007 F150 5.4 3-Valve 2010-2007 Expedition 5.4 3-Valve 2010-2006 Explorer/Mountaineer 4.6 3-Valve 2010-2005 F250-F550/E250-E450 Van 6.8 2010-2005 Crown Victoria/Town Car/Grand Marquis 4.6 2-Valve 2010-2005 Mustang GT 4.6 3-Valve 2010-2005 Mustang 4.0 2010-2005 Navigator 5.4 3-Valve 2010-2005 F250/F350 5.4 3-Valve (new body style) 2010-2004 F150 4.6 2-Valve/3-Valve 2009-2008 Sable/Taurus 3.5 4-Valve 2009-2008 Focus 2.0 2009-2007 Edge/MKX/MKZ 3.5 4-Valve 2009-2006 Fusion/Milan 3.0 4-Valve 2009 Flex 3.5 4-Valve 2008-2006 Mark LT 5.4 3-Valve 2008-2005 F150 4.2 2008 F250/F350 5.4 3-Valve 2008 E-Series Van 6.0 Power Stroke 2007-2006 F250-F550/E-Series Van 6.0 Power Stroke 2006-2005 Expedition 5.4 3-Valve (new body style) 2006-2004 F150 5.4 3-Valve (new body style) 2006 Zephyr 3.0 4-Valve 2005-1999 F250-F550/Excursion 6.8 2005-1999 F250/F350 Heritage/Excursion 5.4 2004-2003 Cobra 4.6 S/C 2004-2003 Marauder 4.6 4-Valve 2004-2002 Mustang GT 4.6 2004-1999 F150/Expedition Heritage 5.4 2004-1999 F150 Heritage 4.6 2004-1999 E-Series Van 5.4/6.8 2004-1999 F150 Lightning/Harley Davidson 5.4 S/C 2003-2002 E550 Van 7.3 Power Stroke 2003-1999 F250-F550/E-Series Van/Excursion 7.3 Power Stroke 2002-1999 Expedition 4.6 2001-1999 Cobra 4.6 2001-1999 Mustang GT/Bullit 4.6
742500	2005-2003 Excursion 6.0 Power Stroke 2005-2003 F250-F550/E-Series Van 6.0 Power Stroke
742002	2005-2003 Excursion 6.0 Power Stroke 2005-2003 F250-F550/E-Series Van 6.0 Power Stroke

Part #	Application (Speedometer Calibrator)
<b>Chrysler/Dodge/Jeep</b>	
752503	2012-2007 Ram 2500-5500 6.7 Cummins 2007 Ram 2500/3500 5.9 Cummins 2006 Ram 2500/3500 5.9 Cummins
752502	2005 Ram 2500/3500 5.9 Cummins 2004 Ram 2500/3500 5.9 Cummins 2003 Ram 2500/3500 5.9 Cummins
752501	2012 Ram 4.7/5.7 Hemi 2012 Wrangler 3.6 2011-2008 Grand Caravan/Town & Country 3.3/3.6/3.8 2011-2007 Wrangler 3.8 2011-2005 Dakota 3.7/4.7/5.7 Hemi 2011-2003 Ram 1500/2500/3500 3.7/4.7/5.7 Hemi 2010-2008 Challenger 3.5/5.7 Hemi/6.1 Hemi 2010-2007 Avenger/Sebring/Journey 3.5 2010-2007 Avenger/Sebring 2.7 2010-2007 Nitro 2.8 T/D/3.7/4.0 2010-2007 Liberty 3.7 2010-2006 Commander 3.7/4.7/5.7 Hemi 2010-2005 Charger/300 2.7/3.5/5.7 Hemi/6.1 Hemi 2010-2005 Grand Cherokee 3.7/4.7/5.7/6.1 Hemi 2010-2004 Durango 3.7/4.7/5.7 Hemi 2010 Journey 2.0T/D/2.4/3.5 2009-2007 Aspen 4.7 2009-2007 Aspen 5.7 Hemi 2008-2007 Pacifica 3.8 2008-2005 Magnum 2.7/3.5/5.7 Hemi/6.1 Hemi
752500	2003-2002 Ram/Dakota/Durango 5.9 (Tire size option availability depends on model and year) 2002-1998.5 Ram 2500/3500 5.9 Cummins 2001-1997 Ram/Dakota/Durango/1998 Grand Cherokee 5.2/5.9 (Tire size option availability depends on model and year)

Part #	Application (Speedometer Calibrator)
<b>Mitsubishi</b>	
752501	2009-2006 Raider 3.7/4.7
<b>Part # Application</b>	
<b>SAB</b>	
732501	2008 9-7X Aero 6.0 LS2

ACCESSORIES