



Patriot 9500 UT



Part# 109198*

Patriot 9500UT Features
9500UT comes with all Patriot Series standard features plus these:

- Wireless semi-automatic remote clutch reduces winching time, increases convenience
- 105 ft. of 5/16" galvanized aircraft cable with replaceable clevis hook

Patriot 15,000



Part# 109159
Part# 109160*

Patriot 9500



Part# 109153
Part# 109154*

Patriot 8000



Part# 109155
Part# 109156*

Patriot Profile 12,000



Part# 109194
Part# 109196*

Patriot and Patriot Profile Features

- Patriot and Patriot Profile Series winches come with your choice of wireless remote control or 12 ft. wire pendant
- Automatic load-holding brake for strength and reliability
- 4-way roller fairlead
- Limited lifetime warranty
- Complete with galvanized aircraft cable with replaceable clevis hook
- 3-stage planetary gear system

REP 8.5e



Part# 111073

REP 9.5e



Part# 111090

REP 8.5e / REP 9.5e Features

- Proven 3-stage planetary gear system designed for fast line speed
- Hawse fairlead
- Limited lifetime warranty
- 12 ft. wire pendant remote control
- Automatic load holding brake
- Cam action clutch for free spooling
- Complete with galvanized aircraft cable with replaceable clevis hook
- Weather resistant solenoid assembly

Badger 2500 with motor switch

Badger 2500 Features

- Proven 3-stage planetary gear system designed for fast line speed
- Hawse or roller fairlead
- Limited lifetime warranty
- Reliable and easy to operate motor switch or 12 ft. pendant remote
- Automatic load holding brake
- Cam action clutch for free spooling



Part# 115102**
Part# 115101****

TR 5000

TR 5000


- Proven 3-stage planetary gear system designed for fast line speed
- Mounting platform with hawse fairlead
- Limited lifetime warranty
- 12 ft. wire pendant remote
- Automatic load holding brake
- Cam action clutch for free spooling
- Cable tensioner
- Complete with galvanized aircraft cable with replaceable clevis hook



Part# 111077



RE 12,000




Part# 112162 (12V)
Part# 110597 (24V)

QM 9000



Part# 111040

RE 8000



Part# 112158 (12V)
Part# 110414 (24V)

QM 8000



Part# 111039****

RE Series Features

- 4-way roller fairlead
- Limited lifetime warranty
- 12 ft. wire pendant remote
- Semi-Automatic RAM-LOK clutch disengages for free spooling
- Series wound motor with worm gear provides load reversing protection

Winch Ordering Information

Part Number	Description	Capacity	Motor	Weight
109198	Patriot 9500UT*	9500 lbs.	5.5 hp. 12V DC	93 lbs.
109159	Patriot 15,000	15,000 lbs.	5.5 hp. 12V DC	120 lbs.
109160	Patriot 15,000*	15,000 lbs.	5.5 hp. 12V DC	120 lbs.
109194	Profile 12,000	12,000 lbs.	5.5 hp. 12V DC	103 lbs.
109196	Profile 12,000*	12,000 lbs.	5.5 hp. 12V DC	103 lbs.
109153	Patriot 9500	9500 lbs.	5.5 hp. 12V DC	93 lbs.
109154	Patriot 9500*	9500 lbs.	5.5 hp. 12V DC	93 lbs.
109155	Patriot 8000	8000 lbs.	5.5 hp. 12V DC	91 lbs.
109156	Patriot 8000*	8000 lbs.	5.5 hp. 12V DC	91 lbs.
111073	REP 8.5e	8500 lbs.	2.5 hp. 12V DC	56 lbs.
111090	REP 9.5e	9500 lbs.	2.5 hp. 12V DC	88 lbs.
115102	Badger 2500**	2500 lbs.	.9 hp. 12V DC	21 lbs.
115101	Badger 2500****	2500 lbs.	.9 hp. 12V DC	21 lbs.
111077	TR 5000	5000 lbs.	1.3 hp. 12V DC	47 lbs.
112158	RE 8000	8000 lbs.	4.8 hp. 12V DC	130 lbs.
110414	RE 8000	8000 lbs.	2.5 hp. 24V DC	130 lbs.
112162	RE 12,000	12,000 lbs.	4.8 hp. 12V DC	130 lbs.
110597	RE 12,000	12,000 lbs.	2.5 hp. 24V DC	130 lbs.
111008	QM 5000*** (not shown)	5000 lbs.	1.3 hp. 12V DC	75 lbs.
111039	QM 8000****	8000 lbs.	5.5 hp. 12V DC	105 lbs.
111040	QM 9000	9000 lbs.	4.4 hp. 12V DC	115 lbs.

* Comes with wireless remote control
** Comes with 12' wired remote only

*** Comes with 80' x 1/4" cable
**** Comes with 95' x 5/16" cable

***** Comes with motor switch only



QM-Quick Mount System

- Mounts into any standard Class III receiver hitch for front or rear winching
- Hawse fairlead
- 12 Volt electric winch
- 3-Stage planetary gear system
- Automatic load holding brake
- Clutch for free spooling
- Weather shielded solenoids
- 12 ft. wire pendant remote
- Anti-theft locking pin
- Limited lifetime warranty

QM 5000, QM 8000 and QM 9000 will mount into any standard Class III rear receiver hitch with a 5,000 lb. min. WC rating. Receiver must not be recessed more than 1" from bumper face. Additional power leads required.



Winch Accessories



Wireless remote
Works without cables or switches and operates the winch up to 50 ft. away, installs in minutes. Part# 251200



Mounting Channel
Used for most general mounting applications. Rated for 5,000 lbs. through 9,500 lbs. off road self-recovery work winches. Not for RE winch models. Part# 251126 (24'), 251127 (30'), 251128 (36')



Aluminum Fairlead
Guides synthetic rope onto winch drum and helps prevent abrasion. Part# 251266



Remote Control Pendant
Replacement 12' remote control pendant. Part# 251110



Battery Power Leads
12V or 24V DC extra long battery leads
Part# 251053 (5')
251021 (20')
251054 (24')

Accessories Ordering Information

Part Number	Description	Weight
251200	Wireless Remote	4 lbs.
251262	Synthetic Winch Rope	11 lbs.
251266	Aluminum Fairlead	2 lbs.
251110	12' Remote Control Pendant	3 lbs.
282062	Safety On/Off Switch In Cab-12V	2 lbs.
251053	5' Battery Power Leads-Front Mount	15 lbs.
251021	20' Battery Power Leads-Rear Mount	14 lbs.
251054	24' Battery Power Leads-Rear Mount	25 lbs.
328157	Optional Dust Cover	2 lbs.
251126	24' Mounting Channel	17 lbs.
251127	30' Mounting Channel	24 lbs.
251128	36' Mounting Channel	28 lbs.
251215	Accessory Kit (available for 5,000 to 15,000 winches as for details)	12 lbs.

Neoprene Winch Covers

Part Number	Description	Weight
251264	Badger Cover	2 lbs.
251269	REP 6000/8000/9000 solenoid banded to motor	2 lbs.
251270	Patriot Profile 6000/8000/9000/9500 solenoid mounted above motor	2 lbs.
251271	Patriot Profile 6000/8000/9000/9500, REP 6000/8000/9000 without solenoid mounted to winch	2 lbs.
251259	Patriot 6000/8000/9500 with solenoid assembly mounted above tie bars	2 lbs.



Safety On/Off Switch In Cab-12 Volt
Switch kit turns power off to winch when not in use. On-off switch can be mounted in vehicle cab for easy access. Part# 282062



Synthetic Winch Rope
Technora fiber synthetic rope comes in 100 ft. (30.5M) of 3/8" (9MM) with oversize 1/2" clevis hooks. Lightweight, pliable, easy to handle with strong heat resistance rated for winches up to 9500 lbs. Aluminum Hawse fairlead is recommended to prevent premature wear. Part# 251262



Accessory Kit
The off-road winch accessory kit comes with a 30,000 lbs. (13,607 kgs) maximum capacity swivel side plate shackle-type snatch block with a greaseable sheave, forged steel shackle 6"x3" (1,8 m x 7,6 cm) tree trunk saver, leather faced work gloves with protective cuffs and a durable black Cordura® nylon bag. Part# 251215



Neoprene Winch Cover
Black neoprene cover protects winch from harsh weather elements without tie down straps. See chart above.