



THE SAFETY & WARNING LIGHT SPECIALISTS!

STROBE BEACONS

High, medium and low profile models available.




LED BEACONS

High, medium and low profile models available.



ROTATOR BEACONS

Aluminum base, polycarbonate dome, heavy duty rotator ensures long life



NEW INTELLIGENT™ LED BEACONS



NEW Intelligent™ LED beacons. Feature rich platform with auto-dimming, battery check voltage monitoring, master/slave synchronization up to 16 lights, field upgradable software, multiple user selectable flash patterns and much more!

| # | Description | Model # |
|----|---|-------------|
| 1 | High profile strobe beacon, 12-48Vdc, 2.5 amps, 10-22 joules, H: 7 3/4" W: 8 3/8", 3 user selectable flash patterns | 200A-12V-A |
| 2 | Medium profile strobe beacon, 12-48Vdc, 2.5 amps, 10-22 joules, H: 5 1/4" W: 5 3/4", 3 user selectable flash patterns, flange mount | 27001 |
| 3 | Low profile strobe beacon, 12-48Vdc, 2.5 amps, 10-22 joules, H: 5 1/4" W: 5 3/4", 3 user selectable flash patterns | 27026 |
| 4 | Low profile strobe beacon with mirror bracket mount, 12Vdc, 0.5 amps, 3 joules, H: 4 1/4" W: 4 1/4" | 201ZB-12V-A |
| 5 | Bioptic™, 360° High profile LED beacon, 12-24 Vdc, 0.1 - 1.1 amps, H: 7 3/4" W: 8 3/4", 17 user selectable patterns | 22601 |
| 6 | Bioptic™, 360° Medium profile LED beacon, 12-24 Vdc, 0.1 - 1.1 amps, H: 5 1/2" W: 7", 17 user selectable patterns | 22311 |
| 7 | Monoptic, 360° Low profile LED beacon, 12-24 Vdc, 0.1 - 0.6 amps, H: 3 1/4" W: 7", 17 user selectable patterns | 22101 |
| 8 | High profile rotator beacon, open bottom, 12Vdc, 6.5 amps, H: 8 1/8" W: 8 3/4" | 400A-12V-A |
| 9 | High profile rotator beacon, closed bottom, 12Vdc, 6.5 amps, H: 8 7/8" W: 8 3/8" | 400B-12V-A |
| 10 | High profile Intelligent™ LED communicating beacon, 12-24Vdc, H: 7 3/4" W: 8 3/8", SAE J845 (2007) Class 1 | 23803 |
| 11 | Medium profile Intelligent™ LED communicating beacon, 12-24Vdc, H: 5 1/2" W: 7", SAE J845 (2007) Class 1 | 23815 |
| 12 | Low profile Intelligent™ LED communicating beacon, 12-24Vdc, H: 4 1/2" W: 5 3/4", SAE J845 (2007) Class 1 | 23817 |

SWS WARNING SYSTEMS INC.

swscanada.com • ctpdistributorsinc.com

Grande Prairie 1-800-803-7785

Edmonton 1-888-422-9329

Calgary 1-877-237-7660

Port Kells, Surrey 1-800-663-5356

ACCESSORIES

16" ROTATOR MINI BARS

13



High profile and low profile models available

14



Superior quality

16" STROBE MINI BARS

15



High profile and low profile models available

16



GO-LIGHT

17




18



Remote control directional spot lights, 370° of rotation with 135° of tilt

Save time and money by ordering a complete warning package!

24



16" LED MINI BARS

LED minibar, high profile and low profile models available

19



20



21 NEW!!



Class 1, J845 (2007)

Introducing our new, feature rich Intelligent™ LED Minibar!

Encapsulated electronics

BACK-UP ALARM

Die cast and polycarbonate models, 97-102 db

22




23



WARNING PACKAGES

25





| # | Description | Model # |
|----|---|---------|
| 13 | High profile rotating mini light bar, 12Vdc, 8 amps, H: 5 3/8" L: 16 1/2" Depth: 8 3/8" | 16001 |
| 14 | Low profile rotating mini light bar, 12Vdc, 8 amps, H: 3 5/8" L: 16 1/2" Depth: 8 3/8" | 16801 |
| 15 | High profile Strobe mini light bar, 12-24Vdc, 2 amps, 14-22 joules, H: 5 3/8" L: 16 1/2" Depth: 8 3/8", 3 user selectable patterns | 16031 |
| 16 | Low profile Strobe mini light bar, 12-24Vdc, 2 amps, 14-22 joules, H: 3 5/8" L: 16 1/2" Depth: 8 3/8", 3 user selectable patterns | 16831 |
| 17 | Go light - portable Radioray with magnetic shoe and wireless remote | 7901 |
| 18 | Go light - permanent mount Radioray with wireless remote | 2000 |
| 19 | 360° high profile LED mini bar, 12-24 Vdc, 0.2 - 2.2 amps, H: 5 3/8" L: 16 1/2", multiple user selectable flash patterns | 16951 |
| 20 | 360° low profile LED mini bar, 12-24 Vdc, 0.2 - 1.2 amps, H: 3 5/8" L: 16 1/2", multiple user selectable flash patterns | 16916 |
| 21 | 360° low profile Intelligent™ LED mini bar, 12-24 Vdc, 0.2 - 1.2 amps, H: 3 5/8" L: 16 1/2", Class 1 (2007 Standard) | 1631 |
| 22 | Die cast back-up alarm, 12 - 48Vdc, H: 3 1/16" L: 4 9/16" Depth: 2", single, dual and steady tone, 87 - 107 db | 60 |
| 23 | Polycarbonate back-up alarm, 12 - 48Vdc, H: 3 1/16" L: 4 9/16" Depth: 2", single tone, 97 db | 99901 |
| 24 | Kit includes a traffic director (#51041) with control box, our model 200A strobe beacon, back-up alarm(#99901) and switch | 75002 |
| 25 | Kit includes our extreme fleet directional arrow (#50930) with control box, our 400A model rotator, back-up (#99901) alarm and switch | 75005 |

SWS WARNING SYSTEMS INC.

swscanada.com • ctpdistributorsinc.com

WARNING STICKS, TRAFFIC ARROWS & TRAFFIC DIRECTORS

SWS holds the largest line of traffic arrows and warning sticks in the industry.
Rugged, durable and built to last!
Various lengths and split models available.



Cab mounted controller included with lights 30, 31, 32, 33 & 34

Encapsulated electronics

MOUNTING SOLUTIONS

SWS also has a complete line of mounting solutions to meet all your mounting needs!



| # | Description | Model # |
|----|--|---------|
| 26 | LED warning stick, 12Vdc, H: 2 5/8" L: 30" Depth: 1 7/8", 6 high density panels, 25 patterns | 53805 |
| 27 | LED traffic director, 12Vdc, H: 2 5/8" L: 36" Depth: 1 7/8", 8 low density panels, 4 patterns: left, right, center out, wig-wag | 51051 |
| 28 | LED traffic director, 12Vdc, H: 2 5/8" L: 48" Depth: 1 7/8", 10 high density panels, 4 patterns: left, right, center out, wig-wag | 51041 |
| 29 | LED traffic arrow, 12Vdc, H: 20 3/4" L: 48", 18 high density panels, 4 patterns: left, right, center out, wig-wag | 50929 |
| 30 | High brightness LED traffic arrow, 12Vdc, H: 9" L: 48", 16 LED triplets, 4 patterns: left, right, center out, wig-wag | 58000 |
| 31 | Split high brightness LED traffic arrow, 12Vdc, H: 9" L: 2 x 14" sections, 12 LED triplets, 4 patterns: left, right, center out, wig-wag | 58055 |
| 32 | 48" High power traffic arrow truck rack mounting bracket kit | 98016 |
| 33 | High power traffic arrow roof top mounting bracket kit | 98001 |
| 34 | Passenger side large beacon truck rack mounting bracket kit | 98004 |
| 35 | Driver side large beacon truck rack mounting bracket kit | 98005 |
| 36 | High power traffic director mounting bracket kit | 98003 |
| 37 | High density traffic director mounting bracket kit | 98000 |
| 38 | Driver side Medium profile beacon mounting bracket fit for 7" flange | 98017 |
| 39 | Passenger Medium profile beacon mounting bracket fit for 7" flange | 98018 |
| 40 | Driver medium beacon mounting bracket kit | 98007 |
| 41 | Passenger medium beacon mounting bracket kit | 98006 |
| 42 | Small beacon mounting bracket kit | 98008 |
| 43 | Large beacon mounting bracket kit, order with 98014 or 98015 | 98011 |
| 44 | 16" mini light bar mounting bracket kit, order with 98014 or 98015 | 98012 |
| 45 | 24" mini light bar mounting bracket kit, order with 98014 or 98015 | 98013 |
| 46 | Clamp kit | 98015 |
| 47 | 1/2" NPT beacon clamp mounting kit | 98010 |
| 48 | Universal bracket clamp kit | 98009 |
| 49 | C-bracket kit | 98014 |

SWS WARNING SYSTEMS INC.

swscanada.com • ctpdistributorsinc.com

Grande Prairie 1-800-803-7785

Edmonton 1-888-422-9329

Calgary 1-877-237-7660

Port Kells, Surrey 1-800-663-5356