



## Max Energy

POWER PROGRAMMER

Max Energy Tuning extracts every bit of energy possible out of every molecule of fuel giving you more miles at part-throttle and more power at wide-open throttle. In order to increase engine efficiency, horsepower and torque, our engineers optimize the spark and fuel curves point by point over the entire rpm band. With the additional power, drivers use less fuel to accelerate and maintain cruising speeds without the torque converter un-locking and transmission down-shifting to a lower gear. The results are maximum power and fuel mileage\*, plus many other adjustable features so you can customize your vehicle exactly the way you want in just minutes.

### Other Adjustable Features Include\*:

Automatic Transmission Shift Points and Firmness • Top-Speed Limiter  
RPM "Rev" Limiter • Diagnostics • Cooling Fan Temps • Internet Updates  
Speedometer Correction for Non-Stock Tire Sizes and/or Rear Gear Ratios

### The Most Powerful Tuning for Diesels that Tow

Hypertech gives diesel owners exclusive 3-Stage Power Tuning with gains of up to 176 horsepower and 289 ft.-lbs. of torque...Plus improved fuel economy!\*\* And only Hypertech's tuning can be used at the maximum power setting, when towing up to the maximum weight rating specified by the vehicle manufacturer. We develop all of our Power Tuning under real-world conditions of maximum load and steep grades, but with safe exhaust gas temperatures.

### Using the Max Energy is as easy as 1-2-3!



1 Plug the small connector on the communications cable into the Max Energy and then plug the other end into the vehicle's diagnostic connector, located on the driver's side under the dash.

2 Follow the on-screen prompts and answer a few simple "Yes/No" questions to select the tuning options and other features you want.

3 When the programming session is complete, the Max Energy screen will instruct you to disconnect the cable. You are now ready to enjoy the power and performance of the Max Energy Power Programmer.

\* Adjustable features depend on year, make, and model of vehicle.

\*\* As reported by Hypertech users.

Part #	Application
<b>GM</b>	
32006	2010 Camaro SS 6.2 LS3/L99
32005	2009-2006 Corvette 7.0 LS7 2007-2006 Corvette 6.0 LS2
32004	2009-2007 Sierra/Silverado 2500/3500/Suburban/Yukon XL 3/4 Ton 6.0 LY6 Auto 2009-2007 Avalanche/Tahoe (new body style) 4.8/5.3/6.0 2009-2007 Sierra/Silverado/Suburban/Yukon 1500 (new body style) 4.8/5.3/6.0 2008-2007 Trailblazer SS 6.0 LS2
32003	2009-2006 Sierra/Silverado 6.6 Duramax 2009-2007 Express/Savanna 2500/3500 Van 6.6 Duramax
32002	2005-2001 Monte Carlo/Regal/Impala 3.8/3.8 S/C 2004-1997 Corvette 5.7 LS1/5.7 LS6 2002-1998 Camaro/Firebird 5.7 LS1 2002-2000 Camaro/Firebird 3.8
32001	2005-2001 Sierra/Silverado 6.6 Duramax
32000	2007 H2/Sierra/Silverado (classic body style) 4.3/4.8/5.3/6.0/8.1 2007-2005 Sierra/Silverado 5.3 HO 2006-2004 Escalade/EXT/ESV/Silverado SS/Sierra/Yukon 6.0 HO 2006-2002 Avalanche/H2/Sierra/Silverado/Suburban/Blazer/Jimmy/S10/Sonoma/Tahoe/Yukon (classic body style) V6/V8 2004 SSR 5.3 2003-2002 Escalade/Escalade EXT/Silverado SS/Sierra/Yukon 6.0 HO 2001 Sierra/Silverado/Suburban 8.1 2001 Sierra/Silverado/Blazer/Jimmy/S10/Sonoma 4.3 2000 Sierra/Silverado/Suburban/Blazer/Jimmy/S10/Sonoma/Tahoe/Yukon V6/V8 2001-1999 Sierra/Silverado/Suburban/Tahoe/Yukon 4.8/5.3/6.0 1999-1996 Sierra/Silverado/Suburban/Blazer/Jimmy/S10/Sonoma/Tahoe/Yukon 4.3/5.0/5.7/7.4

Part #	Application
<b>Ford/Lincoln/Mercury</b>	
42009	2009 Flex 3.5 4-Valve 2009-2008 Sable/Taurus 3.5 4-Valve 2009-2007 Edge/MKX/MKZ 3.5 4-Valve 2009-2006 Fusion/Milan 3.0 4-Valve 2009-2008 Focus 2.0 2006 Zephyr 3.0 4-Valve
42008	2008-2005 F250-F550/E250-E450 Van/F53 Motorhome 6.8
42007	2009-2006 Explorer/Mountaineer 4.6 3-Valve 2009-2007 Explorer SportTrac 4.6 3-Valve
42006	2009-2005 Crown Victoria/Town Car/Grand Marquis 4.6 2-Valve
42005	2010-2008 F250-F550 6.4 Power Stroke 2008 E-Series Van 6.0 Power Stroke 2007-2006 F250-F550/E-Series Van 6.0 Power Stroke
42004	2010-2005 Mustang GT 4.6 3-Valve 2010-2005 Mustang 4.0
42003	2010-2007 F150 5.4 3-Valve 2010-2007 Expedition 5.4 3-Valve 2010-2004 F150 4.6 2-Valve/3-Valve 2010-2005 Navigator 5.4 3-Valve 2008-2005 F150 4.2 2008-2006 Mark LT 5.4 3-Valve 2007-2005 F250/F350 5.4 3-Valve (New body style) 2006-2005 Expedition 5.4 3-Valve (New body style) 2006-2004 F150 5.4 3-Valve (New body style)
42002	2005-2003 Excursion 6.0 Power Stroke 2005-2003 F250-F550/E-Series Van 6.0 Power Stroke
42001	2003-1999 F250-F550/E-Series Van/Excursion 7.3 Power Stroke 2003-2002 E550 Van 7.3 Power Stroke 1997-1996 F250-F450/E-Series Van 7.3 Power Stroke
42000	2005-1999 F150-F550/Expedition/Excursion 4.6/5.4/6.8 (Not available for 99 6.8 in CA) 2004-2003 Cobra 4.6 S/C 2004-2003 Marauder 4.6 4-Valve 2004-1996 Mustang GT 4.6 2004-1999 F150 Lightning/Harley Davidson 5.4 S/C 2004-1997 E-Series Van 5.4 2001-1999 Cobra 4.6 1999-1996 Crown Victoria/Town Car/Grand Marquis 4.6 1998 F-Series/Explorer 4.2/5.0 1998 Ranger 4.0 1998 F150/Expedition 4.6/5.4 1998-1996 Mustang 3.8 1997-1996 Thunderbird 4.6 1997-1996 Taurus SHO 3.8 1997 F-Series/Expedition 4.2/4.6/5.4 1997 Explorer 5.0 1996 F-Series/Explorer/Ranger/Bronco 4.0/4.9/5.0/5.8

Part #	Application
<b>Chrysler/Dodge/Jeep</b>	
52009	2009-2007 Ram 2500-5500 6.7 Cummins
52008	2002-1998.5 Ram 2500/3500 5.9 Cummins
52007	2007 Ram 2500/3500 5.9 Cummins
52006	2006 Ram 2500/3500 5.9 Cummins
52005	2005 Ram 2500/3500 5.9 Cummins
52004	2004 Ram 2500/3500 5.9 Cummins
52003	2003 Ram 2500/3500 5.9 Cummins
52002	2008-2005 Charger RT/Magnum RT/300C 5.7 Hemi
52001	2009-2008 Aspen/Cherokee/Commander/Dakota/Durango/Ram 4.7 2009-2007 Wrangler 3.8 2009-2008 Grand Caravan/Town & Country 3.8 2009-2007 Aspen 5.7 Hemi 2009-2003 Ram 1500/2500/3500 5.7 Hemi 2009-2006 Commander 5.7 Hemi 2009-2005 Grand Cherokee 5.7 Hemi 2009-2005 Durango 5.7 Hemi 2008-2007 Pacifica 3.8 2006-2005 Wrangler 4.0
52000	2003-2002 Ram/Dakota/Durango 5.9 2001-1997 Ram/Dakota/Durango 5.2/5.9 2004-1996 Wrangler/Grand Cherokee 4.0 2001-1996 Cherokee 4.0

Part #	Application
<b>Infiniti/Nissan</b>	
62001	2009-2004 Armada/Titan/QX56 5.6 2009-2005 Frontier/Pathfinder/Xterra 4.0/5.6

Max Energy  
**E-CON™**

ECONOMY POWER PROGRAMMER



**50 State Street Legal**  
CARB E.O. or pending

## Use Less Fuel And Get More Power With The E-CON™ Economy Power Programmer

The E-CON Economy Power Programmer is designed for the driver who needs better fuel mileage and more power, but doesn't want to pay for other high-performance features they may not need. Every E-CON is programmed with Hypertech's Max Energy Tuning. Max Energy Tuning extracts every bit of energy possible out of every molecule of fuel giving you more miles at part-throttle and and more power at wide-open throttle. In order to increase engine efficiency, horsepower and torque, our engineers optimize the spark and fuel curves point by point over the entire rpm band. With the additional power, drivers use less fuel to accelerate and maintain cruising speeds without the torque converter un-locking and transmission down-shifting to a lower gear. The results are maximum power and fuel mileage. **Hypertech customers are claiming 2 to 6 mpg gains.** In addition, the Max Energy E-CON has the ability to read and clear DTCs. The E-CON also comes with a USB cable and a CD containing software to enable quick updates over the internet.

## Easy Plug-And-Go Installation

Simply plug the Max Energy E-CON into the vehicle's under-dash connector, choose your tuning program... Regular octane tuning for gas vehicles and fuel tuning programs A or B for diesels that appear on the screen, then with the push of a button re-program your vehicle's computer with improved power and efficiency.

How Much Will You Save Per Gallon? Savings calculated at \$2.50 per gallon.						
Stock mpg	+1mpg	+2mpg	+3mpg	+4mpg	+5mpg	+6mpg
12	19¢	36¢	50¢	62¢	74¢	83¢
14	17¢	31¢	44¢	56¢	66¢	75¢
16	15¢	28¢	39¢	50¢	60¢	68¢
18	13¢	25¢	36¢	45¢	54¢	63¢
20	12¢	23¢	33¢	42¢	50¢	58¢
22	11¢	21¢	30¢	38¢	46¢	54¢

NOTE: Actual savings may vary slightly from those shown.

### Gas Vehicles

The Max Energy E-CON offers "Regular Octane" tuning for gas vehicles. This program will deliver excellent power gains for cars or trucks factory capable of using more economical regular octane. **The Max Energy E-CON is NOT recommended for vehicles using premium octane.**

### E-85/Flex-Fuel Vehicles

The E-CON's "Regular Octane" tuning can be used with E-85 fuel on vehicles that are E-85 capable. The improved engine tuning will increase the part-throttle efficiency and wide-open throttle performance compared to the factory tuning.

### Diesel Vehicles

The Max Energy E-CON offers Fuel tuning "A" or "B" for diesels. Fuel tuning really means engine tuning, not just fuel quantity, but also injection timing and turbo boost levels. Two (2) tuning programs are offered so the driver can choose which program suits their driving needs and delivers the best fuel mileage for their application and circumstance. They both deliver excellent power gains, smooth transmission operation, and can be used for towing up to the maximum weight specified by the vehicle manufacturer.

Part #	Application
<b>GM</b>	
<b>33004</b>	2009-2007 Sierra/Silverado 2500/3500/Suburban/Yukon XL 3/4 Ton 6.0 LY6 Auto 2009-2007 Avalanche/Tahoe (new body style) 4.8/5.3/6.0 2009-2007 Sierra/Silverado/Suburban/Yukon 1500 (new body style) 4.8/5.3/6.0
<b>33003</b>	2009-2006 Sierra/Silverado 6.6 Duramax 2009-2007 Express/Savanna 2500/3500 Van 6.6 Duramax
<b>33002</b>	2005-2001 Monte Carlo/Regal/Impala 3.8/3.8 S/C 2002-2000 Camaro/Firebird 3.8
<b>33001</b>	2005-2001 Sierra/Silverado 6.6 Duramax
<b>33000</b>	2007 H2/Sierra/Silverado (classic body style) 4.3/4.8/5.3/6.0/8.1 2007-2005 Sierra/Silverado 5.3 HO 2006-2004 Escalade/EXT/ESV/Silverado SS/Sierra/Yukon 6.0 HO 2006-2002 Avalanche/H2/Sierra/Silverado/Suburban/Blazer/Jimmy/S10/Sonoma/Tahoe/Yukon (classic body style) V6/V8 2004 SSR 5.3 2003-2002 Escalade/Escalade EXT/Silverado SS/Sierra/Yukon 6.0 HO 2001 Sierra/Silverado/Suburban 8.1 2001 Sierra/Silverado/Blazer/Jimmy/S10/Sonoma 4.3 2000 Sierra/Silverado/Suburban/Blazer/Jimmy/S10/Sonoma/Tahoe/Yukon V6/V8 2001-1999 Sierra/Silverado/Suburban/Tahoe/Yukon 4.8/5.3/6.0 1999-1996 Sierra/Silverado/Suburban/Blazer/Jimmy/S10/Sonoma/Tahoe/Yukon 4.3/5.0/5.7/7.4

Part #	Application
<b>Ford/Lincoln/Mercury</b>	
<b>43009</b>	2009 Flex 3.5 4-Valve 2009-2008 Sable/Taurus 3.5 4-Valve 2009-2007 Edge/MKX/MKZ 3.5 4-Valve 2009-2006 Fusion/Milan 3.0 4-Valve 2009-2008 Focus 2.0 2006 Zephyr 3.0 4-Valve
<b>43008</b>	2008-2005 F250-F550/E250-E450 Van/F53 Motorhome 6.8
<b>43007</b>	2009-2006 Explorer/Mountaineer 4.6 3-Valve 2009-2007 Explorer SportTrac 4.6 3-Valve
<b>43006</b>	2009-2005 Crown Victoria/Town Car/Grand Marquis 4.6 2-Valve
<b>43005</b>	2010-2008 F250-F550 6.4 Power Stroke 2008 E-Series Van 6.0 Power Stroke 2007-2006 F250-F550/E-Series Van 6.0 Power Stroke
<b>43004</b>	2010-2005 Mustang GT 4.6 3-Valve 2010-2005 Mustang 4.0
<b>43003</b>	2010-2007 F150 5.4 3-Valve 2010-2007 Expedition 5.4 3-Valve 2010-2004 F150 4.6 2-Valve/3-Valve 2010-2005 Navigator 5.4 3-Valve 2008-2005 F150 4.2 2008-2006 Mark LT 5.4 3-Valve 2007-2005 F250/F350 5.4 3-Valve (New body style) 2006-2005 Expedition 5.4 3-Valve (New body style) 2006-2004 F150 5.4 3-Valve (New body style)
<b>43002</b>	2005-2003 Excursion 6.0 Power Stroke 2005-2003 F250-F550/E-Series Van 6.0 Power Stroke
<b>43001</b>	2003-1999 F250-F550/E-Series Van/Excursion 7.3 Power Stroke 2003-2002 E550 Van 7.3 Power Stroke 1997-1996 F250-F450/E-Series Van 7.3 Power Stroke
<b>43000</b>	2005-1999 F250-F550/Excursion 6.8 (Not available for 99 6.8 in CA) 2005-1999 F250/F350 Heritage/Excursion 5.4 2004-1999 F150 Heritage/Expedition 5.4 2004-1999 F150 Heritage 4.6 2004-1999 E-Series Van 5.4 2002-1999 Expedition 4.6

Part #	Application
<b>Chrysler/Dodge/Jeep</b>	
<b>53009</b>	2009-2007 Ram 2500-5500 6.7 Cummins
<b>53008</b>	2002-1998.5 Ram 2500/3500 5.9 Cummins
<b>53007</b>	2007 Ram 2500/3500 5.9 Cummins
<b>53006</b>	2006 Ram 2500/3500 5.9 Cummins
<b>53005</b>	2005 Ram 2500/3500 5.9 Cummins
<b>53004</b>	2004 Ram 2500/3500 5.9 Cummins
<b>53003</b>	2003 Ram 2500/3500 5.9 Cummins
<b>53002</b>	2008-2005 Charger RT/Magnum RT/300C 5.7 Hemi
<b>53001</b>	2009-2008 Aspen/Cherokee/Commander/Dakota/Durango/Ram 4.7 2009-2007 Wrangler 3.8 2009-2008 Grand Caravan/Town & Country 3.8 2009-2007 Aspen 5.7 Hemi 2009-2003 Ram 1500/2500/3500 5.7 Hemi 2009-2006 Commander 5.7 Hemi 2009-2005 Grand Cherokee 5.7 Hemi 2009-2005 Durango 5.7 Hemi 2008-2007 Pacifica 3.8 2006-2005 Wrangler 4.0
<b>53000</b>	2003-2002 Ram/Dakota/Durango 5.9 2001-1997 Ram/Dakota/Durango 5.2/5.9 2004-1996 Wrangler/Grand Cherokee 4.0 2001-1996 Cherokee 4.0

Part #	Application
<b>Infiniti/Nissan</b>	
<b>63001</b>	2009-2004 Armada/Titan/QX56 5.6 2009-2005 Frontier/Pathfinder/Xterra 4.0/5.6

# Speedometer Calibrator

If you're running non-stock tire sizes and/or rear gear ratios, Hypertech's Speedometer Calibrator can correct the speedometer and odometer for tires up to 54 inches (depending on application). The Speedometer Calibrator is engineered for the consumer that wants the speedometer recalibration functions of the Max Energy™ Power Programmer, but without the additional expense of the other tuning features. The Speedometer Calibrator also comes with a USB cable and a CD containing software to enable quick updates and upgrades over the internet.

Simply plug the Speedometer Calibrator into the vehicle's under-dash connector, select the tire height and/or new rear gear ratio, and the vehicle's computer is reprogrammed for accurate speedometer and odometer readings (as required by law).

In addition, Hypertech's Speedometer Calibrator reads and clears Diagnostic Trouble Codes (DTCs). This allows owners to view detailed information about the vehicle's operation without having to purchase expensive diagnostic computers or scanners used by dealership technicians.

## In-Line Speedometer Calibrator Module

The in-line Speedometer Calibrator Module is engineered for the consumer that wants an easy plug-and-play module to correct the speedometer and odometer for all tires sizes and/or rear gear ratios.

The in-line Speedometer Calibrator Module comes with a USB cable and a CD containing software to enable accurate tire and gear recalibrations and quick updates over the internet.



Part #	Application (In-Line Speedometer Calibrator Module)
<b>Ford/Lincoln</b>	
730112	2008 F250-F550 2008-2007 Expedition/Navigator
730111	2007-2005 F250-F550
730110	2008-2004 F150
<b>GM</b>	
730102	2008-2007 Truck/SUV (New body style)
<b>Nissan</b>	
730106	2008-2005 Frontier/Pathfinder/Xterra
730105	2008 Armada/Titan
730104	2007-2004 Titan 2007-2005 Armada
<b>Toyota</b>	
730114	2008-2006 RAV4
730113	2008 Highlander/Highlander Hybrid
730108	2009-2007 FJ Cruiser
730107	2009-2005 Tacoma
730103	2010-2007 Tundra 2008 Sequoia



**50 State Subcompact Legal**  
CARB E.O. or pending

Part #	Application (Speedometer Calibrator)
<b>GM</b>	
732006	2010 Camaro SS 6.2 LS3/L99
732005	2009-2006 Corvette 7.0 LS7 2007-2006 Corvette 6.0 LS2
732004	2009 Yukon/Express/Savanna Van 4.8/5.3/6.0 2008-2007 Sierra/Silverado 2500/3500/Suburban/Yukon XL 3/4 Ton 6.0 LY6 Auto 2008-2007 Avalanche/Tahoe (new body style) 4.8/5.3/6.0 2008-2007 Sierra/Silverado/Suburban/Yukon 1500 (new body style) 4.8/5.3/6.0 2008-2007 Trailblazer SS 6.0 LS2
732003	2008-2006 Sierra/Silverado 6.6 Duramax 2008-2007 Express/Savanna 2500/3500 Van 6.6 Duramax
732002	2005-2001 Monte Carlo/Regal/Impala 3.8/3.8 S/C 2004-1997 Corvette 5.7 LS1 2004-2001 Corvette 5.7 LS6 2002-1998 Camaro/Firebird 5.7 LS1 2002-2000 Camaro/Firebird 3.8
732001	2005-2001 Sierra/Silverado 6.6 Duramax
732000	2007 H2/Sierra/Silverado (classic body style) 4.3/4.8/5.3/6.0/8.1 2007-2005 Sierra/Silverado (classic body style) 5.3 HO 2006-2004 Escalade/EXT/ESV/Sierra/Silverado SS/Yukon 6.0 HO 2006-2002 Avalanche/H2/Sierra/Silverado/Suburban/Blazer/Jimmy/S10/Sonoma/Tahoe/Yukon (classic body style) V6/V8 SR 5.3 2004 2003-2002 Escalade/Escalade EXT/Silverado SS/Sierra/Yukon 6.0 HO 2001 Sierra/Silverado/Suburban 8.1 2001 Sierra/Silverado/Blazer/Jimmy/S10/Sonoma 4.3 2000 Sierra/Silverado/Suburban/Blazer/Jimmy/S10/Sonoma/Tahoe/Yukon V6/V8 2001-1999 Sierra/Silverado/Suburban/Tahoe/Yukon 4.8/5.3/6.0 1999-1996 Sierra/Silverado/Suburban/Blazer/Jimmy/S10/Sonoma/Tahoe/Yukon 4.3/5.0/5.7/7.4

Part #	Application (Speedometer Calibrator)
<b>Ford/Lincoln/Mercury</b>	
742009	2009 Flex 3.5 4-Valve 2009-2008 Sable/Taurus 3.5 4-Valve 2009-2007 Edge/MKX/MKZ 3.5 4-Valve 2009-2006 Fusion/Milan 3.0 4-Valve 2009-2008 Focus 2.0 2006 Zephyr 3.0 4-Valve
742008	2008-2005 F250-F550/E250-E450 Van/F53 Motorhome 6.8
742007	2009-2006 Explorer/Mountaineer 4.6 3-Valve 2009-2007 Explorer SportTrac 4.6 3-Valve
742006	2009-2005 Crown Victoria/Town Car/Grand Marquis 4.6 2-Valve
742005	2010-2008 F250-F550 6.4 Power Stroke 2008 E-Series Van 6.0 Power Stroke 2007-2006 F250-F550/E-Series Van 6.0 Power Stroke
742004	2009-2005 Mustang GT 4.6 3-Valve 2009-2005 Mustang 4.0
742003	2010-2007 F150 5.4 3-Valve 2010-2007 Expedition 5.4 3-Valve 2010-2005 Navigator 5.4 3-Valve 2010-2004 F150 4.6 2-Valve/3-Valve 2008-2006 Mark LT 5.4 3-Valve 2008 F250/F350 5.4 3-Valve 2008-2005 F150 4.2 2007-2005 F250/F350 5.4 3-Valve (new body style) 2006-2005 Expedition 5.4 3-Valve (new body style) 2006-2004 F150 5.4 3-Valve (new body style)
742002	2005-2003 Excursion 6.0 Power Stroke 2005-2003 F250-F550/E-Series Van 6.0 Power Stroke
742001	2003-1999 F250-F550/E-Series Van/Excursion 7.3 Power Stroke 2009-2005 F550 Van 7.3 Power Stroke
742000	2005-1999 F250-F550/Excursion 6.8 2005-1999 F250-F350 Heritage/Excursion 5.4 2004-1999 F150/Expedition Heritage 5.4 2004-1999 F150 Heritage 4.6 2004-1999 E-Series Van 5.4/6.8 2004-2003 Cobra 4.6 S/C 2004-2003 Marauder 4.6 4-Valve 2004-2002 Mustang GT 4.6 2004-1999 F150 Lightning/Harley Davidson 5.4 S/C 2002-1999 Expedition 4.6 2001-1999 Cobra 4.6 2001-1999 Mustang GT/Bullit 4.6

Part #	Application (Speedometer Calibrator)
<b>Chrysler/Dodge/Jeep</b>	
752009	2009-2007 Ram 2500-5500 6.7 Cummins
752008	2002-1998.5 Ram 2500/3500 5.9 Cummins
752007	2007 Ram 2500/3500 5.9 Cummins
752006	2006 Ram 2500/3500 5.9 Cummins
752005	2005 Ram 2500/3500 5.9 Cummins
752004	2004 Ram 2500/3500 5.9 Cummins
752003	2003 Ram 2500/3500 5.9 Cummins
752002	2009-2008 Challenger 3.5/5.7 Hemi/6.1 Hemi 2009-2005 Charger/300 2.7/3.5/5.7 Hemi/6.1 Hemi 2008-2005 Magnum 2.7/3.5/5.7 Hemi/6.1 Hemi
752001	2009 Journey 2.0 T/D/2.4/3.5 2009-2008 Aspen 4.7 2009-2008 Grand Caravan/Town & Country 3.8 2009-2007 Nitro 2.8 T/D/3.7/4.0 2009-2007 Wrangler 3.8 2009-2007 Aspen 5.7 Hemi 2009-2006 Commander 3.7/4.7/5.7 Hemi 2009-2005 Dakota 3.7/4.7/5.7 Hemi 2009-2005 Grand Cherokee 3.7/4.7/5.7 Hemi 2009-2004 Durango 3.7/4.7/5.7 Hemi 2009-2003 Ram 1500/2500/3500 3.7/4.7/5.7 Hemi 2008-2007 Pacifica 3.8
752000	2003-2002 Ram/Dakota/Durango 5.9 (Tire size option availability depends on model and year) 2001-1997 Ram/Dakota/Durango 5.2/5.9 (Tire size option availability depends on model and year)

Part #	Application (Speedometer Calibrator)
<b>Mitsubishi</b>	
752001	2009-2007 Raider 3.7/4.7